

**APPLICATION FOR PERMISSION TO CHANGE POINT OF
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE
PUBLIC WATERS OF THE STATE OF NEVADA
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office AUG 20 1996
Returned to applicant for correction SEP 06 1996
Corrected application filed SEP 17 1996
Map filed SEP 17 1996

The applicant **Larry Bryan**, hereby makes application for permission to change the **Point of Diversion, Manner of Use and Place of Use** of a **portion** of water heretofore appropriated under **Permit #11165, Cert #3864**

1. The source of water is **Underground**
2. The amount of water to be changed **3 acre feet 0.0142 C.F.S.**
3. The water to be used for **Quasi-Municipal purposes**
4. The water heretofore permitted for **Irrigation and Domestic**
5. The water is to be diverted at the following point **Within the Southeast quarter (SE¼) of the Southeast quarter (SE¼) of Section 20, T20S, R62E, MDM, or at a point from which the Southeast corner of said Section 20, T20S, R62E, MDM, bears south 18°33'28" East a distance of 487.34 feet.**
6. The existing permitted point of diversion is located within **The Northeast quarter (NE¼) of the Southwest quarter (SW¼) of Section 20, T20S, R61E, MDM. or at a point from which the West quarter (W¼) corner of said Section 20, T20S, R61E, MDM, bears North 89°02'00" West a distance of 2036.50 feet**
7. Proposed place of use **That portion of the Northeast quarter (NE¼) of the Southeast quarter (SE¼) of the Southeast quarter (SE¼) of the Southeast quarter (SE¼) of Section 20, T20S, R62E, MDM.**
8. Existing place of use **That portion of West half (W½) of the Northeast quarter (NE¼) of the Northeast quarter (NE¼) of the Southwest quarter (SW¼) of Section 20, T20S, R61E, MDM - 3 acre feet to be removed from irrigation.**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **Well is complete**
12. Estimated cost of works **None**
13. Estimated time required to construct works **Well consists of 340 L.F. 8 inch steel cased, 5hp. submersible pump, 5000 gal. storage tank, booster pump, 1½" water meter and appurtenances.**
14. Estimated time required to complete the application of water to beneficial use **3 years**
15. Remarks: **Water is to be added to existing well, to make sure there is no over use of water in the future.**

By **s/Robert Fulstone Agent**

Compared cms/bk cl/cms

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 11165 Certificate 3864 is issued subject to the terms and conditions imposed in said Permit 11165 Certificate 3864 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 58052 and 62399 shall not exceed 5.0 acre-feet annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0142 cubic feet per second, but not to exceed 3.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

N/A

Proof of completion of work shall be filed before:

N/A

Application of water to beneficial use shall be filed on or before:

April 11, 1999

Proof of the application of water to beneficial use shall be filed on or before:

May 11, 1999


Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,
State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 18th day of February, A.D. 1997


State Engineer

Completion of work filed N/A

Proof of beneficial use filed JUN 11 1999

Cultural map filed _____

Certificate No. 15296 Issued AUG 31 1999